




Steckschlaufe BFM-SSL 13 mm,
gerade, grau, Polyamid



4 046725 358183

Leistungsmerkmale

Für die Befestigung von Leitungen ist die Steckschlaufe wie gemacht. Sie kann ohne Werkzeug von Hand eingesteckt werden und ist somit schnell und einfach zu handhaben. Geeignet ist sie für Stein, Beton, Hohlstein, Kalksandstein und Gasbeton. Der Kunststoff ist halogen- und silikonfrei. Die Temperaturbeständigkeit liegt bei 80 °C langfristig, 130 °C kurzfristig, -10 °C bei Montage und +40 °C bei Gebrauch. Die Steckschlaufe ist flammwidrig nach UL 84HB. Das Produkt ist unter UV-Belastung in trocken- sowie feuchtwarmen Klima mindestens fünf Jahre ohne Verlust der Gebrauchseigenschaften verwendbar und UV-beständig.

DEHA-Nummer

5343120

Artikelnummer

2110-40-0007

EAN

4046725358183

Kennzeichnung

Steckschlaufe BFM-SSL 13 mm,
gerade, grau, Polyamid

Allgemeine Daten

Merkmale	
Durchmesser	3 · 13 mm
Ausführung	geschlossen
Befestigungsart	Steckbefestigung
Werkstoff	Kunststoff
Werkstoffgüte	Polyamid (PA)
Halogenfrei	ja
UV-beständig	ja


Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
5343120	BFM-SSL 13 grau	2110-40-0007	4046725358183	200 Stück



Push-in clip BFM-SSL 13 mm,
straight, polyamide, grey



4 046725 358183

Performance features

The push-in clip is perfect for attaching cables. It can be inserted by hand without tools and is therefore quick and easy to handle. It is suitable for stone, concrete, hollow brick, sand-lime brick and aerated concrete. The plastic is halogen and silicone free. The temperature resistance is 80 °C long-term, 130 °C short-term, -10 °C during installation and +40 °C during use. The loop is flame retardant according to UL 84HB. The product can be used under UV exposure in dry and warm, humid climates for at least five years without losing its functional properties and is UV-resistant.

DEHA number

5343120

Item number

2110-40-0007

EAN

4046725358183

label

Push-in clip BFM-SSL 13 mm,
straight, polyamide, grey

General Data

Features	
Diameter	3 - 13 mm
Model	Closed
Type of fastening	Plug-in mounting
Material	plastic
Material quality	Polyamide (PA)
Halogen free	yes
UV resistant	yes

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
5343120	BFM-SSL 13 grau	2110-40-0007	4046725358183	200 Piece