




UP-Raumthermostateinsatz,
5-30 °C, analoge/digital



4 046725 399940

Leistungsmerkmale

Der RED Thermostat-Einsatz RTE 001 ist sowohl für die analoge als auch für die digitale Abdeckung 55x55 mm passend. Der Einsatz ist zum Einbau in Unterputz- und Hohlwand Dosen für den Temperaturbereich +5 °C bis +30 °C geeignet und ist zudem der elektronische Regler für Heiz- oder Kühlanwendungen.

Dank der Befestigungskrallen ist eine einfache Montage möglich. 5 Jahre Gewährleistung.

Technische Daten

- Schaltdifferenz 1K, 230 V AC 50 Hz
- Schaltkontakt 1 Öffner 5 A und 1 Schließer 10 A

DEHA-Nummer

6358750

Artikelnummer

6210-40-0001

EAN

4046725399940

Kennzeichnung

Allgemeine Daten

Merkmale	
Ausführung	An/Aus
Art der Spannungsversorgung	230 V AC
Anschluss	dreiadrig
Messbereich unterer Wert	5 °C
Messbereich oberer Wert	30 °C
Thermische Rückkopplung	true
Heizen	ja
Anzahl der Ausgänge Heizung	1
Kühlen	ja
Anzahl der Ausgänge Kühlung	1
Differenzwert	1 · 1 K
Ausführung Aufnehmer/Fühler	Widerstandssensor
Montageart	Unterputz
Typ Kontakt	Wechsler
Max. Spannung der Kontakte	230 V
Max. Kontaktbelastung	10 A
Schutzart (IP)	IP20
Höhe	70 mm
Breite	70 mm
Tiefe	35 mm


Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
6358750	RTE 001	6210-40-0001	4046725399940	1 Stück



Flush-mounted room thermostat insert,
5-30 °C, analog/digital



4 046725 399940

Performance features

The RED thermostat insert RTE 001 is suitable for both the analogue and the digital cover 55x55 mm. The insert is suitable for installation in flush-mounted and cavity wall boxes for the temperature range +5 °C to +30 °C and is also the electronic controller for heating or cooling applications. Thanks to the fastening claws, easy installation is possible. 5 years warranty.

Technical specifications

- Switching difference 1K, 230 V AC 50 Hz
- Switch contact 1 opener 5 A and 1 closer 10 A

DEHA number

6358750

Item number

6210-40-0001

EAN

4046725399940

label

Flush-mounted room thermostat insert, 5-30 °C, analog/digital

General Data

Features	
Model	On/Off
Type of power supply	230 V AC
Connection	Three-wire
Measuring range minimum value	5 °C
Measuring range maximum value	30 °C
Thermal feedback	true
Heating	yes
Number of heater outputs	1
Cooling	yes
Number of cooler outputs	1
Differential value	1 - 1 K
Sensor/feeler type	Resistance sensor
Mounting method	Flush mounted (plaster)
Contact type	Change-over contact
Max. contact voltage	230 V
Max. contact load	10 A
Degree of protection (IP)	IP20
Height	70 mm
Width	70 mm
Depth	35 mm

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
6358750	RTE 001	6210-40-0001	4046725399940	1 Piece