




Metallmontageband, kunststoffummantelt,
stahlverz., 14x3 mm, 5,20 mm Loch, grau



4 046725 401384

Leistungsmerkmale

Das Montageband aus Metall ist der ideale Begleiter des Einschlagdübels. Es dient der Befestigung von Rohren auf Beton, teilweise auch Leitungen. Die hochwertige Kunststoffummantelung schützt sowohl das Band als auch die zu fixierenden Rohre vor Beschädigungen. Die Metallausführungen sind stahl verzinkt und ermöglichen dadurch hohe mechanische Belastungen. Die Montagebänder haben in der Verpackungseinheit generell eine Länge von 10 m.

DEHA-Nummer

7095890

Artikelnummer

2110-40-0058

EAN

4046725401384

Kennzeichnung

Metallmontageband, kunststoffummantelt,
stahlverz., 14x3 mm, 5,20 mm Loch, grau

Allgemeine Daten

Merkmale	
Art des Bandes	gerade
Werkstoff	Stahl
Werkstoffgüte	sonstige
Oberfläche	kunststoffummantelt
Breite	14 mm
Stärke	3 mm
Farbe	schwarz
Anzahl der Perforationsreihen	1
Richtung der Lochung	längs
Perforation	rund
Perforationsdurchmesser	5,2 mm
Perforationsbreite	12 mm
Bruchlast	1900 N


Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7095890	BFM-MBM 14x3 grau	2110-40-0058	4046725401384	1 Rolle



Metal mounting tape, plastic-coated,
steel-galvanized, 14x3 mm, 5.20 mm hole, grey



4 046725 401384

Performance features

The metal assembly tape is the ideal companion for the drive-in dowel. It is used to fasten pipes to concrete, and sometimes also cables. The high-quality plastic coating protects both the band and the pipes to be fixed from damage. The metal versions are galvanized steel and therefore allow for high mechanical loads. The assembly tapes generally have a length of 10 m in the packaging unit.

DEHA number

7095890

Item number

2110-40-0058

EAN

4046725401384

label

Metal mounting tape, plastic-coated,
steel-galvanized, 14x3 mm, 5.20 mm hole, grey

General Data

Features	
Art des Bandes	Straight
Material	Steel
Material quality	Other
Surface protection	Plastic sheathed
Width	14 mm
Thickness	3 mm
Colour	Black
Number of perforation rows	1
Direction of punch holes	Lengthwise
Perforation	Round
Perforation diameter	5,2 mm
Perforation width	12 mm
Breaking load	1900 N

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7095890	BFM-MBM 14x3 grau	2110-40-0058	4046725401384	1 Rolle