Datenblatt

RED®

ÜBERZEUGT. EINFACH.

Metallmontageband, kunststoffummantelt, stahlverz., 19x2 mm, 6,50 mm Loch, grau

Leistungsmerkmale

Das Montageband aus Metall ist der ideale Begleiter des Einschlagdübels. Es dient der Befestigung von Rohren auf Beton, teilweise auch Leitungen. Die hochwertige Kunststoffummantelung schützt sowohl das Band als auch die zu fixierenden Rohre vor Beschädigungen. Die Metallausführungen sind stahl verzinkt und ermöglichen dadurch hohe mechanische Belastungen. Die Montagebänder haben in der Verpackungseinheit generell eine Länge von 10 m.

DEHA-Nummer

7095891

Artikelnummer

2110-40-0059

EAN

4046725401391

Kennzeichnung

Metallmontageband, kunststoffummantelt, stahlverz., 19x2 mm, 6,50 mm Loch, grau

Allgemeine Daten

Merkmale	
Art des Bandes	gerade
Werkstoff	Stahl
Werkstoffgüte	sonstige
Oberfläche	kunststoffummantelt
Breite	19 mm
Stärke	2 mm
Farbe	schwarz
Anzahl der Perforationsreihen	1
Richtung der Lochung	längs
Perforation	rund
Perforationsdurchmesser	6,5 mm
Perforationsbreite	15 mm
Bruchlast	3500 N

Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7095891	BFM-MBM 19x2 grau	2110-40-0059	4046725401391	1 Rolle

Data Sheet

RED®

SIMPLY. CONVINCING.

Metal mounting tape, plastic-coated, steel-galvanized, 19x2 mm, 6,50 mm hole, grey

Performance features

The metal assembly tape is the ideal companion for the drive-in dowel. It is used to fasten pipes to concrete, and sometimes also cables. The high-quality plastic coating protects both the band and the pipes to be fixed from damage. The metal versions are galvanized steel and therefore allow for high mechanical loads. The assembly tapes generally have a length of 10 m in the packaging unit.

DEHA number

7095891

Item number

2110-40-0059

EAN

4046725401391

label

SIMPLY. CONVINCING.

Metal mounting tape, plastic-coated, steel-galvanized, 19x2 mm, 6,50 mm hole, grey

General Data

Features	
Art des Bandes	Straight
Material	Steel
Material quality	Other
Surface protection	Plastic sheathed
Width	19 mm
Thickness	2 mm
Colour	Black
Number of perforation rows	1
Direction of punch holes	Lengthwise
Perforation	Round
Perforation diameter	6,5 mm
Perforation width	15 mm
Breaking load	3500 N

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7095891	BFM-MBM 19x2 grau	2110-40-0059	4046725401391	1 Rolle