




Kabel-Steckverbinder, IP68, 3-Pin, steckbar
M20, 16 A, 450 V AC, schwarz



4 046725 401476

Leistungsmerkmale

Anwendung für Kabelverbindung im Außenbereich. Schraubloser, Wasserdichter M20 Steck-Verbinder für Elektrokabel von 5 bis 11 mm. Es gibt drei Anschlüsse im Stecker, um Kabelquerschnitte von 0,5 bis 2,5mm² anzuschließen. Der wasserdichte Verbinder ist einfach zu montieren und spart dem Elektriker viel Zeit. Die Kabelverbindung ist dank der Steckverbindung vielseitig und flexibel einsetzbar.

DEHA-Nummer

7125522

Artikelnummer

2240-20-0005

EAN

4046725401476


Kennzeichnung

Kabel-Steckverbinder, IP68, 3-Pin, steckbar
M20, 16 A, 450 V AC, schwarz

Allgemeine Daten

Merkmale	
Ausführung	Gießharz
Anzahl der Leiter	3
Leiternennquerschnitt Abzweigkabel	0,5 - 2,5 qmm
Leiternennquerschnitt Hauptkabel	0,5 - 2,5 qmm
Kabeldurchmesser Abzweigkabel	5 - 11 mm
Kabeldurchmesser Hauptkabel	5 - 11 mm

Produktabbildungen




Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7125522	2240-20-0005	2240-20-0005	4046725401476	10 Stück



Cable connector, IP68, 3-pin, pluggable
M20, 16 A, 450 V AC, black



4 046725 401476

Performance features

Application for outdoor cable connection. Screwless, waterproof M20 connector for electrical cables from 5 to 11 mm. There are three connections in the plug to connect cable cross-sections from 0.5 to 2.5mm². The waterproof connector is easy to assemble and saves the electrician a lot of time. The cable connection is versatile and flexible in use thanks to the plug connection.

DEHA number

7125522

Item number

2240-20-0005

EAN

4046725401476


label

Cable connector, IP68, 3-pin, pluggable
M20, 16 A, 450 V AC, black

General Data

Features	
Model	Cast resin
Number of conductors	3
Nominal cross section conductor branch cable	0,5 - 2,5 qmm
Nominal cross section conductor main cable	0,5 - 2,5 qmm
Cable diameter branch cable	5 - 11 mm
Cable diameter main cable	5 - 11 mm

Product pictures



Order Data

DEHA no	Type	Item number	EAN	VPE
7125522	2240-20-0005	2240-20-0005	4046725401476	10 Piece